

2026 Dundee
Manufacturing
Company LLC

Catalog



Visit Our Website :

www.dundeemfg.com



WELCOME

USA Made

Since 2003, Dundee Manufacturing has proudly operated in Michigan, contributing to the legacy of American manufacturing. From precision stamping to custom die creation, we are committed to delivering quality parts made in the USA.

Multiple Warehouse Locations

With three strategically located warehouses across the United States, Dundee Manufacturing delivers quickly and reliably. Our distribution network keeps your supply chain strong and responsive.

No Hidden Costs

We believe in honesty and clarity. Our pricing is straightforward, with no surprise fees or last-minute add-ons. What you see is what you get—fair, consistent, and easy to understand.

Dundee Manufacturing Company
107 Fairchild Drive
Dundee, Michigan 48131

W: www.dundeemfg.com
E: csr@dundeemfg.com
P: 734.529.2540
F: 734.529.3583

For customer inquiries please contact Customer Service/Inside Sales
orders@dundeemfg.com

Copyright November 2025
Dundee, MI
Dundee Manufacturing Company
2025 DMC Product Catalog

In house publishing created by Crystal Teague for Dundee Manufacturing Company LLC.
POSTMASTER: Send address changes to Dundee Manufacturing Company, PO Box 143, Dundee, MI 48131

WELCOME

Thank you for taking a moment to learn more about Dundee Manufacturing Company LLC

We're proud to support the Plumbing and HVAC industries with high-quality stamped metal parts. With over 20 years in plumbing and more than a decade in solar, we've built our reputation on reliability, precision, and service.

At Dundee, we're more than a manufacturer—we're a "Can-Do Company." That means competitive pricing, on-time delivery, and a commitment to customer satisfaction in everything we do.

As you explore our catalog, I hope you'll see the care and craftsmanship behind every part. We look forward to working with you—and exceeding your expectations.

Peter Davis
President

TABLE OF CONTENTS

04 CONTRACT CUSTOM MFG

05 MISSION & VALUES

06 PLUMBERS TAPE

10 BOCA PLATES

11 STUD GUARDS

15 NAIL PLATES

21 PIPE STRAPS

24 PIPE HOOKS

26 PLASTIC CLAMPS

28 HANGERS

36 TERMS



All images are owned and produced by Dundee Manufacturing Company and are not to be duplicated. All prices are subject to change without notice. DMC is not responsible for any typographical errors or omissions.

Dundee Manufacturing Company LLC
Products are made in the USA

ENGINEERED PRODUCTS

& Contract Custom Manufacturing

Since 2012, Dundee Manufacturing has partnered with manufacturers to support product development, engineering, and scalable growth. Our collaboration helped one customer grow into a multi-million-dollar company—and over the past decade, we’ve expanded our expertise to serve the broader solar industry as a trusted contract manufacturer.

At Dundee, we don’t just build parts—we build relationships. By working closely with our customers, we deliver engineered solutions that reduce costs, improve manufacturability, and accelerate time to market.

Our in-house capabilities allow us to manage everything from concept to finished product. With full control over the design and production process, we offer value-driven solutions such as print reviews, redesign suggestions, and optimized manufacturing methods—all without compromising part integrity.

Choose Dundee Manufacturing for responsive support, proven experience, and “can do” results.

In House Capabilities & Services

We have engineering support from part concept to finished product.

Product Design

Product Development & R&D Engineered Services

Prototype & Testing (Rapid or Low Volume)

Die Design Capabilities (Solid-works, Auto CAD, Logo Press)

Die Build & Assembly

Wire EDM

CNC Machining

3D Printing

Precision Stamping (Servo & Mechanical Presses up to 300 ton)

Tube Piercing

Stamping: Line or Progressive Dies to accommodate low, medium & high volume production runs

Value Added Services

Special Packaging & Private Label

Poly-bagging

UPC Barcoding

In-house Label Design

Laser Cutting and CNC Press Brake

Powder Coating

E-Coating

After Fab Hot Dipped Galvanized

Pre Fab Hot Dipped Galvanized

Copper Plating (pre plate or post plate)

Zinc Plating

Heat Treating

VALUES WE LIVE BY

Can-Do Company Values

- 01 WE MUST EMBRACE THE VALUE OF TEAMWORK
- 02 WE MUST BUILD AND MAINTAIN TRUST WITH OUR RELATIONSHIP(S)
- 03 WE MUST BE ACCOUNTABLE FOR OUR RESPONSIBILITIES
- 04 WE MUST HAVE PRIDE AND STRIVE FOR EXCELLENCE IN OUR WORKMANSHIP
- 05 WE MUST ENHANCE OUR PERSONAL AND PROFESSIONAL GROWTH
- 06 WE MUST HAVE OPEN, HONEST & RESPECTFUL COMMUNICATIONS

OUR MISSION

Dundee Manufacturing Company builds on tradition through continual growth and innovation to produce engineered products, with an emphasis on the plumbing and solar markets.


Dundee Manufacturing's success is defined by the ideal employee and the positive relationships built with customers and suppliers. Focusing on exceeding customer expectations with on-time shipments, quality product, competitive pricing, and product availability.



“Creating a dynamic culture to achieve and maintain exceptional customer satisfaction.”

PLUMBERS TAPE

Galvanized Steel



Pre-Punched Holes

No need to drill! The tape comes with holes already punched, making installation fast and easy.

Two Hole Sizes

Designed for flexibility, the tape includes both 5/32-inch nail holes and 1/4-inch bolt holes to fit a variety of fasteners.

Durable Galvanized Metal

Tough and corrosion-resistant, this metal tape is made to last even in harsh conditions.

Packages per skid can be modified based on order quantity to meet your project or inventory needs.

DMC Part No	Description	GA	QTY per CTN	CTN Weight
IBI-28	3/4" x 10' Galvanized Steel Individually Poly-bagged Coils	28	24	13 lbs
28P10	3/4" x 10' Galvanized Steel Bulk Packed Coils	28	50	27 lbs
28P10-10	3/4" x 10' Galvanized Steel Bulk Packed Coils	28	10	5 lbs
28P25	3/4" x 25' Galvanized Steel Individually Boxed Coils	28	10	14 lbs
28P50	3/4" x 50' Galvanized Steel Individually Boxed Coils	28	10	27 lbs
28P100	3/4" x 100' Galvanized Steel Individually Boxed Coils	28	10	50 lbs
IBI-24	3/4" x 10' Galvanized Steel Individually Poly-bagged Coils	24	24	17 lbs
24P10	3/4" x 10' Galvanized Steel Bulk Packed Coils	24	50	35 lbs
24P10-10	3/4" x 10' Galvanized Steel Bulk Packed Coils	24	10	6 lbs
24P25	3/4" x 25' Galvanized Steel Individually Boxed Coils	24	10	18 lbs
24P50	3/4" x 50' Galvanized Steel Individually Boxed Coils	24	10	35 lbs
24P100	3/4" x 100' Galvanized Steel Individually Boxed Coils	24	6	42 lbs
IBI-22	3/4" x 10' Galvanized Steel Individually Poly-bagged Coils	22	24	25 lbs
22P10	3/4" x 10' Galvanized Steel Bulk Packed Coils	22	50	44 lbs
22P10-10	3/4" x 10' Galvanized Steel Bulk Packed Coils	22	10	9 lbs
22P25	3/4" x 25' Galvanized Steel Individually Boxed Coils	22	10	22 lbs
22P50	3/4" x 50' Galvanized Steel Individually Boxed Coils	22	10	44 lbs
22P100	3/4" x 100' Galvanized Steel Individually Boxed Coils	22	5	44 lbs
IBI-20	3/4" x 10' Galvanized Steel Individually Poly-bagged Coils	20	24	25 lbs
20P10	3/4" x 10' Galvanized Steel Bulk Packed Coils	20	50	51 lbs
20P10-10	3/4" x 10' Galvanized Steel Bulk Packed Coils	20	10	8 lbs
20P25	3/4" x 25' Galvanized Steel Individually Boxed Coils	20	10	26 lbs
20P50	3/4" x 50' Galvanized Steel Individually Boxed Coils	20	10	51 lbs
20P100	3/4" x 100' Galvanized Steel Individually Boxed Coils	20	5	51 lbs

METAL PLUMBERS TAPE

Plain Steel & Stainless Steel

Versatile product used for hanging or securing any type of ductwork, tubing or piping. Also available in 316 Stainless material.



DMC Part No	Description	GA	QTY per CTN	CTN Weight
20S10	3/4" x 10' Plain Steel Bulk Packed Coils	20	50	51 lbs
20S25	3/4" x 25' Plain Steel Individually Boxed Coils	20	10	26 lbs
20S50	3/4" x 50' Plain Steel Individually Boxed Coils	20	10	51 lbs
20S100	3/4" x 100' Plain Steel Individually Boxed Coils	20	5	51 lbs

DMC Part No	Description	GA	QTY per CTN	CTN Weight
24SS10-304	3/4" x 10' Stainless Steel Bulk Packed Coils	24	50	34 lbs
24SS25-304	3/4" x 25' Stainless Steel Individually Boxed Coils	24	10	17 lbs
24SS50-304	3/4" x 50' Stainless Steel Individually Boxed Coils	24	10	34 lbs
24SS100-304	3/4" x 100' Stainless Steel Individually Boxed Coils	24	6	41 lbs
22SS10-304	3/4" x 10' Stainless Steel Bulk Packed Coils	22	50	40 lbs
22SS25-304	3/4" x 25' Stainless Steel Individually Boxed Coils	22	10	20 lbs
22SS50-304	3/4" x 50' Stainless Steel Individually Boxed Coils	22	10	40 lbs
22SS100-304	3/4" x 100' Stainless Steel Individually Boxed Coils	22	5	41 lbs
20SS10-304	3/4" x 10' Stainless Steel Bulk Packed Coils	20	50	47 lbs
20SS25-304	3/4" x 25' Stainless Steel Individually Boxed Coils	20	10	23 lbs
20SS50-304	3/4" x 50' Stainless Steel Individually Boxed Coils	20	10	47 lbs
20SS100-304	3/4" x 100' Stainless Steel Individually Boxed Coils	20	5	56 lbs



PLUMBERS STRAP

Plastic Hanger Strap

Used to reinforce ductwork, tubing and piping. Sold with or without holes. No sharp edges.

DMC Part No	Description	QTY per CTN	CTN Weight
PLX-10	3/4" x 10' Plastic Individually Poly-bagged Coils - Polypropylene	100	16 lbs
PLX-25	3/4" x 25' Plastic Individually Poly-bagged Coils - Polypropylene	40	15 lbs
PLX-50	3/4" x 50' Plastic Individually Poly-bagged Coils - Polypropylene	20	15 lbs
PLX-100	3/4" x 100' Plastic Individually Poly-bagged Coils - Polypropylene	20	29 lbs

COPPER PLUMBERS TAPE

Copper Coated

Versatile product used for hanging or securing Copper Piping from walls, floor & framing members.

Eliminates Electrolysis with mixed materials.



DMC Part No	Description	GA	QTY per CTN	CTN Weight
ICI-24	3/4" x 10' Copper Coated Individually Poly-bagged Coils	24	24	16 lbs
24CC10	3/4" x 10' Copper Coated Bulk Packed Coils	24	50	34 lbs
24CC25	3/4" x 25' Copper Coated Individually Boxed Coils	24	10	17 lbs
24CC50	3/4" x 50' Copper Coated Individually Boxed Coils	24	10	34 lbs
24CC100	3/4" x 100' Copper Coated Individually Boxed Coils	24	10	41 lbs

DUCT HANGER

Galvanized

Used to hang Hot Air Supply & Cold Air Returns to framing member.



DMC Part No	Description	GA	QTY per CTN	CTN Weight
DH-08	7/8" x 8" Galvanized Duct Hanger	18	100	13 lbs
DH-09	7/8" x 9" Galvanized Duct Hanger	18	100	15 lbs
DH-10	7/8" x 10" Galvanized Duct Hanger	18	100	17 lbs

DUCT STRAP

10' Galvanized Duct Strap

Versatile product used for hanging or securing any type of ductwork, tubing or piping. Also available in 304 & 316 Stainless material.



DMC Part No	Description	GA	QTY per CTN	CTN Weight
DS-301-10	1" x 10' Galvanized	30	10	8 lbs
DS-301.5-10	1-1/2" x 10' Galvanized	30	10	8 lbs
DS-261-10	1" x 10' Galvanized	26	10	7 lbs
DS-261.5-10	1-1/2" x 10' Galvanized	26	10	10 lbs
DS-241-10	1" x 10' Galvanized	24	10	11 lbs
DS-241.5-10	1-1/2" x 10' Galvanized	24	10	16 lbs
DS-221-10	1" x 10' Galvanized	22	10	12 lbs
DS-201-10	1" x 10' Galvanized	20	10	14 lbs
DS-201.5-10	1-1/2" x 10' Galvanized	20	10	21 lbs

DUCT STRAP

100' Galvanized Duct Strap

Versatile product used for hanging or securing any type of ductwork, tubing or piping.

Also available in 304 & 316 Stainless material.



DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
DS-301	1" x 100' Individually Boxed Coils	30	10	8 lbs	60 CTNS
DS-301.5	1-1/2" x 100' Individually Boxed Coils	30	10	8 lbs	60 CTNS
DS-302	2" x 100' Individually Boxed Coils	30	3	10 lbs	40 CTNS
DS-261	1" x 100' Individually Boxed Coils	26	10	7 lbs	60 CTNS
DS-261.5	1-1/2" x 100' Individually Boxed Coils	26	10	10 lbs	60 CTNS
DS-262	2" x 100' Individually Boxed Coils	26	3	15 lbs	40 CTNS
DS-241	1" x 100' Individually Boxed Coils	24	10	11 lbs	60 CTNS
DS-241.5	1-1/2" x 100' Individually Boxed Coils	24	10	16 lbs	60 CTNS
DS-221	1" x 100' Individually Boxed Coils	22	10	12 lbs	40 CTNS
DS-201	1" x 100' Individually Boxed Coils	20	10	14 lbs	40 CTNS

BOCA PLATES

MP-5816

BOCA Plates are used to meet the protective requirements of the building code. Protective plates are used on the top and bottom of the wall to avoid penetration of fasteners into wiring or piping.

Description

Used for steel stud construction using proper fasteners

DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
MP-5616	5" x 6" - Multi Hole - Galvanized	16	50	26 lbs	175 CTNS
MP-5816	5" x 8" - 6 Hole - Galvanized	16	25	18 lbs	175 CTNS

BOCA PLATES

MPT-5816


BOCA Plates are used to meet the protective requirements of the building code. Protective plates are used on the top and bottom of the wall to avoid penetration of fasteners into wiring or piping.

Description

Triangle prong allow for easy install

DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
MPT-5816	5" x 8" - 6 HOLE - Self Nailing (Triangle) Galvanized	16	25	19 lbs	160 CTNS

BOCA PLATES

MPS-5816

BOCA Plates are used to meet the protective requirements of the building code. Protective plates are used on the top and bottom of the wall to avoid penetration of fasteners into wiring or piping.

Description

Self Nailing feature promises fast and hands-free installation

DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
MPS-5816	5" x 8" - 6 HOLE - Self Nailing -Galvanized	16	25	19 lbs	160 CTNS

BOCA PLATES

MP-51816

BOCA Plates are used to meet the protective requirements of the building code. Protective plates are used on the top and bottom of the wall to avoid penetration of fasteners into wiring or piping.

Description

Available in 16" and 18" to reinforce top plate for covering entire stud bay



DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
MP-51616	5" x 16" - 8 Holes EA End - Galvanized	16	25	21 lbs	112 CTNS
MP-51816	5" x 18" - 10 Holes EA End - Galvanized	16	25	23 lbs	112 CTNS

STUD GUARDS

Extra Small with 2 Holes

Used to provide protection for pipes and wiring from nails or screws.



DMC Part No	Description	GA	QTY per CTN	CTN Weight
SGE-1.516	1-1/2" x 1-1/2" Galvanized	16	200	8 lbs
SGE-1.5162H	1-1/2" x 1-1/2" Galvanized with 2 Holes	16	200	8 lbs
SGE-2.75162H	1-1/2" x 2-3/4" Galvanized with 2 Holes	16	200	15 lbs
SGE-3162H	1-1/2" x 3" Galvanized with 2 Holes	16	100	7 lbs

STUD GUARDS

Galvanized - Interlocking

Used to provide protection for pipes and wiring from nails or screws.



DMC Part No	Description	GA	QTY per CTN	CTN Weight
SGL-620	1-1/2" x 6" Interlocking	20	100	31 lbs
SGL-618	1-1/2" x 6" Interlocking	18	100	24 lbs
SGL-616	1-1/2" x 6" Interlocking	16	100	20 lbs
SGOI-6516	6" x 5" Interlocking Offset Prongs	16	50	26 lbs

STUD GUARDS

1-1/2" Galvanized

Used to provide protection from fasteners penetrating into pipe and wiring. Offered in end prong and interlocking.



DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
SGE-322	1-1/2" x 3" Galvanized Stud Guard	22	100	4 lbs	200 CTNS
SGE-522	1-1/2" x 5" Galvanized Stud Guard	22	100	8 lbs	128 CTNS
SGE-622	1-1/2" x 6" Galvanized Stud Guard	22	100	9 lbs	128 CTNS
SGE-320	1-1/2" x 3" Galvanized Stud Guard	20	100	8 lbs	200 CTNS
SGE-520	1-1/2" x 5" Galvanized Stud Guard	20	100	9 lbs	128 CTNS
SGE-620	1-1/2" x 6" Galvanized Stud Guard	20	100	9 lbs	128 CTNS
SGE-920	1-1/2" x 9" Galvanized Stud Guard	20	100	8 lbs	128 CTNS
SGE-1220	1-1/2" x 12" Galvanized Stud Guard	20	100	9 lbs	80 CTNS
SGE-1820	1-1/2" x 18" Galvanized Stud Guard	20	50	14 lbs	128 CTNS
SGE-2420	1-1/2" x 24" Galvanized Stud Guard	20	25	13 lbs	128 CTNS
SGE-318	1-1/2" x 3" Galvanized Stud Guard	18	100	6 lbs	200 CTNS
SGE-518	1-1/2" x 5" Galvanized Stud Guard	18	100	11 lbs	128 CTNS
SGE-618	1-1/2" x 6" Galvanized Stud Guard	18	100	13 lbs	128 CTNS
SGE-918	1-1/2" x 9" Galvanized Stud Guard	18	100	19 lbs	128 CTNS
SGE-1218	1-1/2" x 12" Galvanized Stud Guard	18	100	25 lbs	80 CTNS
SGE-1818	1-1/2" x 18" Galvanized Stud Guard	18	50	19 lbs	128 CTNS
SGE-2418	1-1/2" x 24" Galvanized Stud Guard	18	25	13 lbs	128 CTNS
SGE-316	1-1/2" x 3" Galvanized Stud Guard	16	100	7 lbs	200 CTNS
SGE-516	1-1/2" x 5" Galvanized Stud Guard	16	100	14 lbs	128 CTNS
SGE-616	1-1/2" x 6" Galvanized Stud Guard	16	100	16 lbs	128 CTNS
SGE-816	1-1/2" x 8" Galvanized Stud Guard	16	50	11 lbs	128 CTNS
SGE-916	1-1/2" x 9" Galvanized Stud Guard	16	100	25 lbs	128 CTNS
SGE-1216	1-1/2" x 12" Galvanized Stud Guard	16	100	34 lbs	80 CTNS
SGE-1816	1-1/2" x 18" Galvanized Stud Guard	16	50	25 lbs	128 CTNS
SGE-2416	1-1/2" x 24" Galvanized Stud Guard	16	25	17 lbs	128 CTNS

STUD GUARDS

2" & 3" Galvanized Stud Guard

Used to provide protection for pipes and wiring from nails or screws.



DMC Part No	Description	GA	QTY per CTN	CTN Weight
SGE2-2516	2" x 5" Galvanized Stud Guard	16	100	17 lbs
SGE2-2616	2" x 6" Galvanized Stud Guard	16	100	20 lbs
SGE3-3316	3" x 3" Galvanized Stud Guard	16	100	16 lbs
SGE3-3516	3" x 5" Galvanized Stud Guard	16	100	24 lbs
SGE3-3616	3" x 6" Galvanized Stud Guard	16	100	32 lbs
SGE3-3916	3" x 9" Galvanized Stud Guard	16	25	12 lbs
SGE3-31216	3" x 12" Galvanized Stud Guard	16	25	16 lbs
SGE3-32416	3" x 24" Galvanized Stud Guard	16	25	31 lbs

STUD GUARDS

Off Set End Prongs

Used to provide protection from fasteners penetrating into pipe and wiring.



DMC Part No	Description	GA	QTY per CTN	CTN Weight
SGO-3516	3" x 5" - Off Set Stud Galvanized	16	50	24 lbs
SGO-31816	3" x 18" - Off Set Stud Galvanized	16	25	23 lbs
SGO-3.5516	3-1/2" x 5" - Off Set Stud Galvanized	16	50	15 lbs
SGO-3.5616	3-1/2" x 6" - Off Set Stud Galvanized	16	25	9 lbs
SGO-5616	5" x 6" - Off Set Stud Galvanized	16	50	26 lbs
SGO-5816	5" x 8" - Off Set Stud Galvanized	16	25	17 lbs
SGO-51816	5" x 18" - Off Set Stud Galvanized	16	15	37 lbs
SGO-6616	6" x 6" - Off Set Stud Galvanized	16	25	16 lbs
SGO-6816	6" x 8" - Off Set Stud Galvanized	16	25	21 lbs
SGO-61216	6" x 12" - Off Set Stud Galvanized	16	25	31 lbs
SGO-61816	6" x 18" - Off Set Stud Galvanized	16	15	28 lbs


STUD SHOES

Galvanized

Used to protect piping from fastener penetration. Once stud has been notched out, suitable for single, double or triple stud applications.



DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
SS-18	Single Stud Shoe Embossed	18	25	16 lbs	80 CTNS
DS-18	Double Stud Shoe Embossed	18	25	19 lbs	80 CTNS
TS-18	Triple Stud Shoe Embossed	18	10	9 lbs	80 CTNS
SS-16	Single Stud Shoe Embossed	16	25	18 lbs	80 CTNS
SSNE-16	Single Stud Shoe	16	25	13 lbs	80 CTNS
DS-16	Double Stud Shoe Embossed	16	25	22 lbs	80 CTNS
TS-16	Triple Stud Shoe Embossed	16	10	10 lbs	84 CTNS



How to Order

When ordering be sure to specify which hole pattern you want. Indicate the Part Number followed by the Hole Pattern.

*See Hole Patterns Placements on page 22

Sample



FHA NAIL PLATES

1-1/2" Galvanized FHA Plate

Used to reinforce floor or ceiling joists that have been cut for pipes passing through a stud

Available in 14 & 12 GA upon request.


DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
PLS-620	1-1/2" x 6"	20	100	11 lbs	150 CTNS
PLS-920	1-1/2" x 9"	20	50	8 lbs	100 CTNS
PLS-318	1-1/2" x 3"	18	100	7 lbs	100 CTNS
PLS-618	1-1/2" x 6"	18	100	13 lbs	150 CTNS
PLS-918	1-1/2" x 9"	18	50	10 lbs	100 CTNS
PLS-1218	1-1/2" x 12"	18	50	13 lbs	100 CTNS
PLS-1618	1-1/2" x 16"	18	50	17 lbs	80 CTNS
PLS-1818	1-1/2" x 18"	18	50	19 lbs	80 CTNS
PLS-2418	1-1/2" x 24"	18	50	26 lbs	80 CTNS
PLS-316	1-1/2" x 3"	16	100	13 lbs	100 CTNS
PLS-616	1-1/2" x 6"	16	50	10 lbs	150 CTNS
PLS-916	1-1/2" x 9"	16	50	13 lbs	100 CTNS
PLS-1216	1-1/2" x 12"	16	50	17 lbs	100 CTNS
PLS-1616	1-1/2" x 16"	16	50	19 lbs	80 CTNS
PLS-1816	1-1/2" x 18"	16	50	10 lbs	80 CTNS
PLS-2416	1-1/2" x 24"	16	50	13 lbs	80 CTNS

FHA NAIL PLATES

3" & 3-1/2" Galvanized FHA Plate

Used to reinforce floor or ceiling joists that have been cut for pipes passing through a stud

3" are available in 12 GA upon request.



DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
PLS-3618	3" x 6"	18	50	13 lbs	200 CTNS
PLS-3918	3" x 9"	18	50	20 lbs	120 CTNS
PLS-31218	3" x 12"	18	25	13 lbs	80 CTNS
PLS-31618	3" x 16"	18	25	17 lbs	90 CTNS
PLS-31818	3" x 18"	18	25	20 lbs	90 CTNS
PLS-32418	3" x 24"	18	25	26 lbs	90 CTNS
PLS-3616	3" x 6"	16	50	16 lbs	140 CTNS
PLS-3916	3" x 9"	16	50	23 lbs	120 CTNS
PLS-31216	3" x 12"	16	25	15 lbs	90 CTNS
PLS-31816	3" x 18"	16	25	21 lbs	90 CTNS
PLS-32416	3" x 24"	16	25	31 lbs	90 CTNS
PLS-3.5618	3-1/2" x 6"	18	25	8 lbs	160 CTNS
PLS-3.5918	3-1/2" x 9"	18	25	14 lbs	N/A
PLS-3.51218	3-1/2" x 12"	18	25	18 lbs	80 CTNS
PLS-3.51818	3-1/2" x 18"	18	25	23 lbs	80 CTNS
PLS-3.52418	3-1/2" x 24"	18	25	36 lbs	N/A
PLS-3.5616	3-1/2" x 6"	16	25	9 lbs	160 CTNS
PLS-3.5916	3-1/2" x 9"	16	25	14 lbs	N/A
PLS-3.51216	3-1/2" x 12"	16	25	18 lbs	80 CTNS
PLS-3.51816	3-1/2" x 18"	16	25	26 lbs	80 CTNS
PLS-3.52416	3-1/2" x 24"	16	25	36 lbs	N/A

FHA NAIL PLATES

5" & 6" Galvanized FHA Plate

Used to reinforce floor or ceiling joists that have been cut for pipes passing through a stud.

DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
PLS-5616	5" x 6"	16	25	13 lbs	175 CTNS
PLS-5816	5" x 8"	16	25	17 lbs	175 CTNS
PLS-5916	5" x 9"	16	25	19 lbs	N/A
PLS-51216	5" x 12"	16	25	26 lbs	105 CTNS
PLS-51616	5" x 16"	16	15	35 lbs	112 CTNS
PLS-51816	5" x 18"	16	15	37 lbs	60 CTNS
PLS-52416	5" x 24"	16	15	52 lbs	112 CTNS
PLS-6616	6" x 6"	16	25	16 lbs	105 CTNS
PLS-6916	6" x 9"	16	25	23 lbs	N/A
PLS-61216	6" x 12"	16	25	31 lbs	105 CTNS
PLS-61816	6" x 18"	16	25	28 lbs	100 CTNS
PLS-62416	6" x 24"	16	15	37 lbs	N/A

FHA NAIL PLATES

10" Galvanized FHA Plate


Used to reinforce floor or ceiling joists that have been cut for pipes passing through a stud.

DMC Part No	Description	GA	QTY per CTN	CTN Weight	Skid QTY
PLS-100616	10" x 6"	16	25	26 lbs	80 CTNS
PLS-100916	10" x 9"	16	25	39 lbs	60 CTNS
PLS-101216	10" x 12"	16	25	52 lbs	40 CTNS
PLS-101816	10" x 18"	16	25	47 lbs	40 CTNS
PLS-102416	10" x 24"	16	15	62 lbs	40 CTNS

MENDING PLATES

Galvanized Mending Plate


Used to provide protection for pipes and wiring from nails or screws.



DMC Part No	Description	GA	QTY per CTN	CTN Weight
MP-2.517.518	2-1/2" X 17-1/2" - 4 Hole	18	50	31 lbs
MP-3918	3" x 9" - Mult Hole	18	50	24 lbs
MP-31818	3" x 18" - Multi Hole	18	25	20 lbs
MP-3.5618	3-1/2" x 6" - Multi Hole	18	25	10 lbs
MPS-3.5618	3-1/2" x 6" - Self Nailing	18	25	10 lbs
MP-3.51818	3-1/2" x 18" - 4 Hole	18	25	23 lbs
MP-5518	5" x 5" - Multi Hole	18	50	26 lbs
MP-5718	5" x 7" - Multi Hole	18	50	25 lbs
MP-5918	5" x 9" - Multi Hole	18	50	32 lbs
MP-2.517.516	2-1/2" X 17-1/2" - 4 Hole	16	50	37 lbs
MP-3916	3" x 9" - Mult Hole	16	50	31 lbs
MP-31816	3" x 18" - Multi Hole	16	25	23 lbs
MP-3.5616	3-1/2" x 6" - 4 Hole	16	25	10 lbs
MPS-3.5616	3-1/2" x 6" - Self Nailing	16	25	10 lbs
MP-3.51816	3-1/2" x 18" - 4 Hole	16	25	29 lbs
MP-5516	5" x 5" - Multi Hole	16	50	34 lbs
MP-5716	5" x 7" - Multi Hole	16	50	32 lbs
MP-5916	5" x 9" - Multi Hole	16	50	41 lbs
MP-6616	6" x 6" - Multi Hole	16	50	30 lbs
MP-6816	6" x 8" - Multi Hole	16	25	21 lbs

Hole Pattern Placement




100 Hole Pattern Series - 1 hole on each end
Available on 1 1/2" Plates ONLY




200 Hole Pattern Series - 4 Holes
Available on 3" and 5" Plates




300 Hole Pattern Series - 6 Holes
Available on 1 1/2" and 3" Plates



400 Hole Pattern Series - 8 Holes
Available on 1 1/2" and 3" Plates







501 Hole Pattern - 5 holes on each end
Available on 10" Plates







Drawings are to show placement of specific hole patterns and are not to scale or dimension. Please contact Customer Service for a detailed print.

600 Hole Pattern Series - 12 Holes
Available on 1 1/2" and 3" Plates



800 Hole Pattern Series - 16 Holes
Available on 1 1/2", 3" and 3 1/2" Plates



Additional Hole Patterns available upon request and are subject to a Minimum Order Quantity and longer lead-times.



1 HOLE - HEAVY DUTY

Galvanized Pipe Straps

Used to secure and support galvanized piping

DMC Part No	Size	GA	CTN QTY	CTN Weight
1H-50PS	1/2"	14	100	4 lbs
1H-75PS	3/4"	14	100	10 lbs



2 HOLE - STANDARD DUTY

Galvanized Pipe Straps

Used for securing pipe in light and heavy duty commercial applications. Secures piping around fitting to ensure against excessive vibration.

Size is in reference to pipe OD. Visit www.dundeemfg.com for pipe specifications.

DMC Part No	Size	GA	CTN QTY	CTN Weight
GA-38PS	3/8"	24	200	1 lb
GA-50PS	1/2"	24	100	2 lbs
GA-75PS	3/4"	24	100	1 lb
GA-100PS	1"	20	100	3 lbs
GA-125PS	1-1/4"	20	50	3 lbs
GA-150PS	1-1/2"	20	50	2 lbs
GA-200PS	2"	20	50	2 lbs
GA-250PS	2-1/2"	16	25	4 lbs
GA-300PS	3"	16	10	4 lbs
GA-400PS	4"	16	10	5 lbs



2 HOLE - STANDARD DUTY

Copper Coated Steel

Used to secure and support copper piping. Secures piping around fitting to ensure against excessive vibration.

DMC Part No	Size	GA	CTN QTY	CTN Weight
CC-38PS	3/8"	22	200	2 lbs
CC-50PS	1/2"	22	100	1 lb
CC-75PS	3/4"	22	100	1 lb
CC-100PS	1"	22	100	3 lbs
CC-125PS	1-1/4"	22	50	2 lbs
CC-150PS	1-1/2"	22	50	2 lbs
CC-200PS	2"	22	50	2 lbs



2 HOLE - STANDARD DUTY

Solid Copper Steel

Used to secure and support copper piping. Secures piping around fitting to ensure against excessive vibration.

DMC Part No	Size	GA	CTN QTY	CTN Weight
CP-38PS	3/8"	24	200	1 lb
CP-50PS	1/2"	24	100	1 lb
CP-75PS	3/4"	24	100	1 lb
CP-100PS	1"	24	100	2 lbs



HEAVY DUTY PIPE STRAPS

Plain Steel

Used to anchor piping securely to floor or framing member.

DMC Part No	Size	GA	CTN QTY	CTN Weight
HDPS-50	1/2"	10	10	6 lbs
HDPS-75	3/4"	10	10	6 lbs
HDPS-100	1"	10	10	7 lbs
HDPS-125	1-1/4"	10	10	7 lbs
HDPS-150	1-1/2"	10	10	6 lbs
HDPS-200	2"	10	10	7 lbs
HDPS-250	2-1/2"	3	5	9 lbs
HDPS-300	3"	3	5	10 lbs
HDPS-400	4"	3	5	15 lbs



HEAVY DUTY PIPE STRAPS

Zinc Plated

Secures piping around fitting to ensure against excessive vibration.

DMC Part No	Size	GA	CTN QTY	CTN Weight
HDPZ-50	1/2"	10	10	6 lbs
HDPZ-75	3/4"	10	10	6 lbs
HDPZ-100	1"	10	10	7 lbs
HDPZ-125	1-1/4"	10	10	7 lbs
HDPZ-150	1-1/2"	10	10	6 lbs
HDPZ-200	2"	10	10	7 lbs
HDPZ-250	2-1/2"	3	5	9 lbs
HDPZ-300	3"	3	5	10 lbs
HDPZ-400	4"	3	5	15 lbs

HEAVY DUTY PIPE STRAPS

Stainless Steel

Used to anchor piping securely to floor or framing member. Stainless straps add additional protection against corrosion.



DMC Part No	Size	GA	CTN QTY	CTN Weight
HDSS-50	1/2"	10	10	2 lbs
HDSS-75	3/4"	10	10	2 lbs
HDSS-100	1"	10	10	3 lbs
HDSS-125	1-1/4"	10	10	3 lbs
HDSS-150	1-1/2"	10	10	3 lbs
HDSS-200	2"	10	10	4 lbs
HDSS-250	2-1/2"	3	5	4 lbs
HDSS-300	3"	3	5	5 lbs
HDSS-400	4"	3	5	7 lbs

PIPE HOOKS

Pipe Hooks

Used to hang pipes from floor joist and eliminate vibration.

Also available in 4" and 8"



DMC Part No	Description	GA	QTY per CTN	CTN Weight
PHS-1/2-2-1/2-11	1/2" x 2-1/2" Plain Steel	11	100	2 lbs
PHS-3/4-2-1/2-11	3/4" x 2-1/2" Plain Steel	11	100	2 lbs
PHC-1/2-2-1/2-11	1/2" x 2-1/2" Copper Coated Steel	11	100	2 lbs
PHC-3/4-2-1/2-11	3/4" x 2-1/2" Copper Coated Steel	11	100	2 lbs

DMC Part No	Description	GA	QTY per CTN	CTN Weight
PHS-1/2-6-11	1/2" x 6" Plain Steel	11	50	2 lbs
PHS-3/4-6-11	3/4" x 6" Plain Steel	11	50	2 lbs
PHS-1-6-11	1" x 6" Plain Steel	11	50	2 lbs
PHS-1-1/4-6-11	1-1/4" x 6" Plain Steel	11	50	2 lbs
PHS-1-1/2-6-11	1-1/2" x 6" Plain Steel	11	50	2 lbs
PHS-1/2-6-9	1/2" x 6" Plain Steel	9	50	2 lbs
PHS-3/4-6-9	3/4" x 6" Plain Steel	9	50	2 lbs
PHS-1-6-9	1" x 6" Plain Steel	9	50	2 lbs
PHS-1-1/4-6-9	1-1/4" x 6" Plain Steel	9	50	2 lbs
PHS-1-1/2-6-9	1-1/2" x 6" Plain Steel	9	50	2 lbs

DMC Part No	Description	GA	QTY per CTN	CTN Weight
PHC-1/2-6-11	1/2" x 6" Copper Coated Steel	11	50	2 lbs
PHC-3/4-6-11	3/4" x 6" Copper Coated Steel	11	50	2 lbs
PHC-1-6-11	1" x 6" Copper Coated Steel	11	50	2 lbs
PHC-1-1/4-6-11	1-1/4" x 6" Copper Coated Steel	11	50	2 lbs
PHC-1-1/2-6-11	1-1/2" x 6" Copper Coated Steel	11	50	2 lbs
PHC-1/2-6-9	1/2" x 6" Copper Coated Steel	9	50	2 lbs
PHC-3/4-6-9	3/4" x 6" Copper Coated Steel	9	50	2 lbs
PHC-1-6-9	1" x 6" Copper Coated Steel	9	50	2 lbs
PHC-1-1/4-6-9	1-1/4" x 6" Copper Coated Steel	9	50	2 lbs
PHC-1-1/2-6-9	1-1/2" x 6" Copper Coated Steel	9	50	2 lbs



DMC Part No	Description	GA	QTY per CTN	CTN Weight
PHP-1/2-6-11	1/2" x 6" Plastic Coated Steel	11	50	2 lbs
PHP-3/4-6-11	3/4" x 6" Plastic Coated Steel	11	50	2 lbs
PHP-1-6-11	1" x 6" Plastic Coated Steel	11	50	2 lbs
PHP-1-1/4-6-11	1-1/4" x 6" Plastic Coated Steel	11	50	2 lbs
PHP-1-1/2-6-11	1-1/2" x 6" Plastic Coated Steel	11	50	2 lbs
PHP-1/2-6-9	1/2" x 6" Plastic Coated Steel	9	50	2 lbs
PHP-3/4-6-9	3/4" x 6" Plastic Coated Steel	9	50	2 lbs
PHP-1-6-9	1" x 6" Plastic Coated Steel	9	50	2 lbs
PHP-1-1/4-6-9	1-1/4" x 6" Plastic Coated Steel	9	50	2 lbs
PHP-1-1/2-6-9	1-1/2" x 6" Plastic Coated Steel	9	50	2 lbs



HALF CLAMP

Polyethylene

Constructed of high impact plastic and used to reduce vibration on piping.

DMC Part No	Description	QTY per CTN	CTN Weight
PL-38HC	3/8" with Pre-loaded Nail	100	1 lb
PL-50HC	1/2" with Pre-loaded Nail	100	1 lb
PL-75HC	3/4" with Pre-loaded Nail	50	1 lb
PL-100HC	1" with Pre-loaded Nail	50	2 lbs



2 HOLE CLAMP

Polyethylene

Eliminates noise due to pipe expansion & contraction. Ideal for isolating CPVC tubing from wood.

DMC Part No	Description	QTY per CTN	CTN Weight
PL-50PC	1/2" Split Design Pipe Strap	100	1 lb
PL-75PC	3/4" Split Design Pipe Strap	50	1 lb
PL-100PC	1" Split Design Pipe Strap	50	1 lb
PL-125PC	1-1/4" Split Design Pipe Strap	25	1 lb
PL-150PC	1-1/2" Split Design Pipe Strap	25	1 lb
PL-200PC	2" Split Design Pipe Strap	25	2 lbs



FULL CLAMP

Polyethylene

Fast and easy to use; allows tube contraction and expansion.

DMC Part No	Description	QTY per CTN	CTN Weight
PL-50FC	1/2" with Pre-loaded Nail	100	1 lb
PL-75FC	3/4" with Pre-loaded Nail	50	1 lb
PL-100FC	1" with Pre-loaded Nail	50	2 lbs

SUSPENSION CLAMP

Polyethylene

Design allows for hard-to-reach installation & eliminates contact between pipe and framing.





DMC Part No	Description	QTY per CTN	CTN Weight
PL-50SC	1/2" Split Design	100	1 lb
PL-75SC	3/4" Split Design	50	1 lb
PL-100SC	1" Split Design	50	1 lb
PL-125SC	1-1/4" Split Design	25	1 lb
PL-150SC	1-1/2" Split Design	25	1 lb
PL-200SC	2" Split Design	25	2 lbs



Dundee Manufacturing Company LLC
Products are made in the USA

SWIVEL RINGS

Iron Pipe Swivel Ring Hangers



SIZE RANGE: 1/2" through 2" pipe sizes

MATERIAL: Pre-galvanized Carbon Steel with a Zinc Electroplate insert nut

FINISH: Pre-Galvanized.

ORDERING: Specify rod size; finish; and model number and pipe size.

APPROVALS: UL Listing and FM Approved. Complies with Federal Specification WWH-171 (Type 10) and Manufacturers Standardization Society SP-69 (Type 10) and NFPA standards for reduced rod sizes.

FUNCTION: Design and recommended for the suspension of non-Insulated stationary pipe lines. The hanger may be installed prior to the erection of piping and also allows for vertical adjustment after installation.

Part Number	Pinch Sz: inch	A	B	C	D	E	Max Load	Approx. Weight Per 100 pcs	Carton Quantity
300-204	1/2"	3/8"	2 1/2"	1 1/2"	3"	1 1/8"	400	8	100
300-206	3/4"	3/8"	2 5/8"	1 3/4"	3 1/8"	1 1/8"	400	9	100
300-210	1"	3/8"	2 3/4"	1 7/8"	3 3/8"	1 1/8"	400	10	100
300-212	1 1/4"	3/8"	2 7/8"	2 1/8"	3 3/4"	1 1/8"	400	11	100
300-214	1 1/2"	3/8"	3"	2 1/4"	4"	1 1/8"	400	13	100
300-220	2"	3/8"	3 3/8"	2 1/2"	4 5/8"	1 1/8"	400	14	100

LARGE SWIVEL RINGS

Large Iron Pipe Swivel Ring Hangers

SIZE RANGE: 2 1/2" through 8" pipe sizes.

MATERIAL: Pre-galvanized Carbon Steel with a Zinc Electroplate insert nut

FINISH: Pre-Galvanized.


ORDERING: Specify rod size; finish; and model number and pipe size.

APPROVALS: UL Listing and FM Approved. Complies with Federal Specification WWH-171E (Type 10) and A-A-1192A (Type 10) and Manufacturers Standardization Society SP-69 (Type 10) and NFPA standards for reduced rod sizes.

FUNCTION: Design and recommended for the suspension of non-insulated stationary pipe lines. The hanger maybe installed prior to the erection of piping and also allows for vertical adjustment after installation.

Part Number	Pinch Sz: inch	A	B	C	D	E	Max Load	Approx. Weight Per 100 pcs	Carton Quantity
304-224	2 1/2"	3/8"	3 7/8"	3 1/8"	5 3/8"	1 1/8"	400	8	100
304-230	3"	3/8"	4 1/2"	3 5/8"	6 1/4"	1 1/8"	400	9	100
304-240	4"	3/8"	5"	4 1/8"	7 1/4"	1 1/8"	400	10	100
304-250	5"	1/2"	5 3/4"	4 1/4"	8 1/2"	1 1/8"	400	11	100
304-260	6"	1/2"	6 3/4"	5 1/8"	10 1/8"	1 1/8"	400	13	100
304-280	8"	1/2"	7 7/8"	7"	12 1/4"	1 1/8"	400	14	100

LIGHT DUTY CLEVIS HANGERS



Light Duty Clevis Hanger

SIZE RANGE: 1/2" through 4" pipe sizes.

MATERIAL: Carbon Steel

FINISH: Black.

ORDERING: Specify pipe size; finish; and model number.


APPROVALS: Complies with Federal Specification WW-H-171 (Type 1) and Manufacturers Standardization Society MSS-69 (Type 1).

FUNCTION: Recommended for the suspension of non-insulated stationary pipe lines.

ALSO AVAILABLE IN: Electro-Plated Zinc or Hot Dipped Galvanized.

Part Number	Pinch Sz: inch	A	B	C	D	E	F	H	Max Load	Approx. Weight Per 100 pcs	Carton Quantity
407-104	1/2"	3/8"	1 1/2"	2 1/2"	3 1/2"	1/4"	1 3/16"	3/4"	600	9	100
407-106	3/4"	3/8"	1 5/8"	2 5/8"	3 1/2"	1/4"	1 3/16"	1 1/4"	600	9	100
407-110	1"	3/8"	1 3/4"	2 3/4"	3 1/2"	1/4"	1 3/16"	1 1/2"	600	10	100
407-112	1 1/4"	3/8"	1 7/8"	2 7/8"	3 5/8"	1/4"	1 3/16"	1 3/4"	600	11	100
407-114	1 1/2"	3/8"	2"	3"	4"	1/4"	1 3/16"	2"	600	12	100
407-120	2"	3/8"	2 3/8"	3 3/8"	4 3/4"	1/4"	15/16"	"2 1/2"	600	14	100
407-124	2 1/2"	1/2"	3"	4"	5 1/2"	3/8"	1 3/4"	3 1/4"	1100	30	50
407-130	3"	1/2"	3 5/8"	4 5/8"	6"	3/8"	1	3 3/4"	1100	32	50
407-140	4"	5/8"	4 1/4"	5 1/4"	7 1/2"	3/8"	1 3/16"	4 7/8"	1400	44	25

STANDARD DUTY CLEVIS



Standard Duty Clevis Hanger

SIZE RANGE: 1/2" through 36" pipe sizes.

MATERIAL: Carbon Steel

FINISH: Black.

ORDERING: Specify pipe size; finish; and model number.

APPROVALS: UL Listed and FM Approved (3/4" through 8" only). Complies with Federal Specification WW-H-171 (Type 12) and Manufacturers Standardization Society MSS-69 (Type 1).

FUNCTION: Recommended for the suspension of non-insulated stationary pipe lines.

ALSO AVAILABLE IN: Electro-Plated Zinc, Hot Dipped Galvanized or Stainless Steel.

Part Number	Pinch Sz: inch	A	B	C	D	E	Max Load	Approx. Weight Per 100 pcs	Carton Quantity
404-104	1/2"	3/8"	1/2"	1 7/8"	2 3/8"	1/2"	600	37	100
404-106	3/4"	3/8"	5/8"	2 1/8"	2 3/4"	5/8"	600	38	100
404-110	1"	3/8"	3/4"	2 1/4"	2 7/8"	3/4"	600	39	100
404-112	1 1/4"	3/8"	2"	2 7/8"	3 3/4"	1 1/8"	600	40	100
404-114	1 1/2"	3/8"	2 1/16"	2 3/4"	3 3/4"	1"	600	44	100
404-120	2"	3/8"	2 5/16"	3 1/2"	4 3/4"	1 1/8"	600	52	100
404-124	2 1/2"	1/2"	2 3/8"	4 1/2"	6"	1 3/8"	1100	108	50
404-130	3"	1/2"	2 7/8"	4 1/2"	6 1/4"	1 3/8"	1100	120	50
404-134	3 1/2"	1/2"	3 3/8"	4 7/8"	6 7/8"	1 1/2"	1100	128	50
404-140	4"	5/8"	3 5/8"	5 3/8"	7 3/4"	1 1/2"	1400	184	25

IRON PIPE RISER CLAMP

Iron Pipe Riser Clamp

SIZE RANGE: 1/2" through 12" pipe size.

MATERIAL: Carbon Steel


FINISH: Black.

ORDERING: Specify pipe size; finish; and model number.

APPROVALS: Complies with Federal Specification WW-H-171 (Type 8) and Manufacturers Standardization Society MSS-SP-69 (Type 8).


FUNCTIONS: Recommended for supporting and stabilizing vertical pipe runs.

ALSO AVAILABLE IN: Electro-Plated Zinc, Hot Dipped Galvanized or Stainless Steel.



Part Number	Pipe Sz: inch	A	B	Max Load	Approx. Weight Per 100 pcs	Carton Quantity
500-104	1/2"	8.340"	4"	255	121	25
500-106	3/4"	8.550"	4"	255	130	25
500-110	1"	8.815"	4"	255	134	25
500-112	1 1/4"	9.160"	4"	255	142	25
500-114	1 1/2"	9.400"	4"	255	150	25
500-120	2"	9.875"	4"	255	160	25
500-124	2 1/2"	10.625"	4"	390	190	25
500-130	3"	11.250"	4"	530	245	20
500-140	4"	12.500"	4"	810	310	-
500-150	5"	13.563"	4"	1160	350	-
500-160	6"	14.625"	4"	1570	380	-

ONE-HOLE WRAP AROUND STRAP



CPVC One-Hole Wrap Around Strap

SIZE RANGE: 3/4" through 2" pipe sizes.

MATERIAL: Pre-galvanized carbon Steel G-90.

FINISH: Pre-galvanized.

ORDERING: Specify pipe size and model number.


APPROVALS: Underwriter's Laboratories approved for the support of CPVC piping.

FUNCTION: Design to support or restraint when installed with the tabs in the up or down position. It may also be used on top of a beam as a guide. It is not recommended for use underneath a beam as a ceiling type hanger.

Part Number	Pinch Sz: inch	A	B	C	D	Material	Approx. Weight Per 100 pcs	Carton Quantity
624-206	3/4"	7/32"	1 1/2"	2 1/2"	1.050"	20 ga. x 1 1/8"	9	100
624-210	1"	7/32"	1 5/8"	2 7/8"	1.313"	20 ga. x 1 1/8"	10	100
624-212	1 1/4"	7/32"	1 3/4"	3"	1.660"	20 ga. x 1 1/8"	12	100
624-214	1 1/2"	7/32"	1 7/8"	3 3/8"	1.900"	20 ga. x 1 1/8"	12	100
624-220	2"	7/32"	2"	3 3/4"	2.375"	20 ga. x 1 1/8"	15	100

TWO-HOLE 90 DEGREE SIDE MOUNT STRAP

CPVC Two-Hole 90 Degree Side Mount Strap



SIZE RANGE: 3/4" through 2" pipe sizes.

MATERIAL: Pre-galvanized carbon Steel G-90.

FINISH: Pre-galvanized.

ORDERING: Specify pipe size and model number.

APPROVALS: Underwriter's Laboratories approved for the support of CPVC piping.

FUNCTION: Design to support or restraint pipe from either a top or bottom beam installation. It can also help restrain an upward movement of the sprinkler head once activated.

Part Number	Pipe Sz: inch	A	B	D	Material	Approx. Weight Per 100 pcs	Carton Quantity
625-206	3/4"	7/32"	1 1/2"	1.050"	20 ga. x 1 1/8"	100	9
625-210	1"	7/32"	1 1/2"	1.313"	20 ga. x 1 1/8"	100	10
625-212	1 1/4"	7/32"	1 3/4"	1.660"	20 ga. x 1 1/8"	100	11
625-214	1 1/2"	7/32"	1 7/8"	1.900"	20 ga. x 1 1/8"	100	12
625-220	2"	7/32"	2"	2.375"	20 ga. x 1 1/8"	100	13

CPVC STAND-OFF HANGER

CPVC Stand-Off Hanger

SIZE RANGE: 3/4" through 2" pipe sizes.

ORDERING: Specify size and model number.



Part Number	Wt. /Ea.	Net	Size Inch	Box Quantity
627-206	.08	.56	3/4"	100
627-210	.09	.58	1"	100
627-212	.11	.61	1 1/4"	100
627-214	.16	.67	1 1/2"	100
627-220	.11	.71	2"	50

TWO-HOLE CPVC STRAP

Two-Hole CPVC Strap

SIZE RANGE: 3/4" through 2" pipe sizes.


MATERIAL: Pre-galvanized carbon Steel G-90.

FINISH: Pre-galvanized.

ORDERING: Specify pipe size and model number.

APPROVALS: Underwriter's Laboratories approved for the support of CPVC piping.

FUNCTION: Design to support or restraint when installed with the tabs in the up or down position. It may also be used on top of a beam as a guide. It is not recommended for use underneath a beam as a ceiling type hanger.



Part Number	Pinch Sz: inch	A	B	D	Material	Approx. Weight Per 100 pcs	Carton Quantity
623-206	3/4"	3.310"	2.400"	1.050"	20 ga. x 1 1/8"	9	100
623-210	1"	3.550"	2.640"	1.313"	20 ga. x 1 1/8"	12	100
623-212	1 1/4"	3.925"	3.010"	1.660"	20 ga. x 1 1/8"	12	100
623-214	1 1/2"	4.185"	3.265"	1.900"	20 ga. x 1 1/8"	12	100
623-220	2"	4.575"	3.665"	2.375"	20 ga. x 1 1/8"	15	100

TOP BEAM CLAMP

SilverHawk 103 Series Top Beam Clamp #103-101S



Categories: Pipe Clamps for O.D Tubing, SilverHawk Series 103 Top Beam Clamp


SIZE RANGE: 3/8" rod sizes.

MATERIAL: Cold rolled steel with a plated hardened cup point set screw and lock nut.

FINISH: Electro-plated zinc

ORDERING: Specify 103-101S SilverHawk

INSTALLATION: Must install in an upright position. Torque Value = 60 in-lbs. When a torque wrench is not available, the setscrew should be tightened so it contacts the I-beam and then add an additional 1/4 to 1/2 turn.



Product Information	Details
A	3/4"
B	1 3/16"
C	1 5/8"
D	17/32"
E	3/4"
F	3/8"
G	15/16"
Approx. Weight per 100 (pcs.)	20 lbs.
Max. Recommended Load	400 lbs.
Carton Quantity	100

UNIVERSAL BEAM CLAMP

Series 100 Universal Beam Clamp

Recommended for attaching hanger rod to top or bottom flange of a beam or bar joist, where the thickness of a joist or flange doesn't exceed 3/4 inch. The open back design permits rod adjustment.
SIZE RANGE: 3/8" through 7/8" rod sizes.

MATERIAL: Malleable iron casting with a hardened cup point set screw and lock nut.

FINISH: Black.


ORDERING: Specify rod size; finish; and model number.

APPROVALS: UL Listed for top or bottom of Beam. FM Approved for NFPA 13, maximum rated pipe size. Complies with Manufacturers Standardization Society SP-69 (Type 19 & 23).

FUNCTION: Recommended for attaching hanger rod to top or bottom flange of a beam or bar joist, where the thickness of a joist or flange does not exceed 3/4 inch. The open back design permits rod adjustment.

INSTALLATION: Must install in an upright position.

ALSO AVAILABLE IN: Electro-Plated Zinc and 304 Stainless Steel



Item#	A	B	C	D	E	F	G	Approx Weight Per 100 pcs	Carton QTY	Max Rec. Load
103-101	3/8"	1"	1 1/2"	1/2"	1"	3/4"	7/8"	33	100	400 lbs
104-101	1/2"	1"	1 1/2"	1/2"	1"	3/4"	7/8"	33	100	500 lbs
105-101	5/8"	1 1/2"	1 1/2"	1/2"	1"	3/4"	1"	22	50	600 lbs
106-101	3/4"	1 7/8"	1 3/4"	5/8"	1 3/8"	3/4"	1 1/4"	88	50	800 lbs
107-101	7/8"	2"	1 3/4"	5/8"	1 1/2"	3/4"	1 1/4"	79	25	1200 lbs

Terms and Conditions:

The following terms and conditions apply to all approved customers. Dundee Manufacturing Company LLC will qualify or disqualify a customer based on certain due diligence. We reserve the right to change the Terms and Conditions at our sole discretion. If there is a change in the performance of the account, Dundee Manufacturing Company LLC reserves the right to change the payment terms at its sole discretion at any time.

How to Order:

Call (734) 529-2540 and speak to a customer service representative to obtain pricing. Inquiries or purchase orders can be emailed to orders@dundeemfg.com or faxed to (734) 529-3583.

Credit Terms:

All approved credit terms will be Net 30 days. Discounts can be offered on an account-by-account basis. Please contact your local Sales Representative or visit our website at www.dundeemfg.com to download the Credit Application and email it to csr@dundeemfg.com or fax it to (734) 529-3583.

Past Due:

Any account that exceeds (60) days will be subject to a late fee of 1.5% per month finance charge. Dundee Manufacturing Company LLC reserves the right to modify terms in the event of a default or original payment terms are not met.

Pricing:

Orders over \$15,000 NET can qualify for discounted pricing. Please contact customer service at csr@dundeemfg.com to receive a special quote. *All Prices are subject to change without notice.

Minimum Order Policy:

A minimum order of \$100 net is required. Orders must be placed in full carton quantities, as we do not break cartons. Transportation charges are excluded.

Prepaid Freight Policy:

Dundee Manufacturing Company LLC will pay full freight to a single destination within Zone 1 (Michigan, Ohio, Indiana, Illinois, West Virginia, Pennsylvania, Kentucky, and South of Green Bay, Wisconsin), on orders exceeding \$1250.00 NET. Dundee Manufacturing Company will pay full freight to a single destination with Zone 2 which includes all states East of the Mississippi River (excluding Zone 1), on orders exceeding \$1500.00 NET. Dundee Manufacturing Company will allow a 5% discount for customer pick-up on orders totalling at least \$1250.00 NET. *Contact Customer Service to determine the FFA in your area.

International Shipping:

Dundee Manufacturing Company LLC does provide international shipping; however, all shipments will be FOB Dundee, Michigan. Customer is responsible for all freight and customs charges that may occur. All international orders will be subject to extended lead-time due to customs and transit time. Customer will need to provide any and all necessary custom forms for shipment to be delivered into the country.

Lead-Times and Order Changes:

All orders that are submitted after 11:00am will be processed on the following business day. Dundee Manufacturing Company strives to ship stock orders within 24-48 hours. Non-stock items and large stock orders will require additional lead-time, to be determined at time of order.

We reserve the right to increase orders to meet our standard carton quantity. We make every effort to abide by your instructions, however any changes made to a Purchase Order that has been confirmed could require additional lead-time

and/or fees.

Weight Variance:

The weights are approximate due to the range of thickness on the steel. All Dundee Manufacturing Company LLC weights are considered final.

Shipping Discrepancies and Defective Material:

Any damage to a shipment of product must be reported when receiving the shipment. Within 10 days from the time the shipment was received, the customer is required to give written notice to Dundee Manufacturing Company of any claim that the shipment is unacceptable. If the goods are defective, pictures are required with the written notice. Any material which proves to be defective will be replaced at no charge. Dundee Manufacturing Company LLC is limited to actual replacement of product involved and accepts no responsibility for labor or kindred claims.

Dundee Manufacturing Company LLC will not be responsible for any shipping errors after 10 business days from shipment receipt. Orders that ship Collect will be the sole responsibility of the customer. The customer must file any damage or shortage claim with the carrier. Dundee Manufacturing is not responsible for any damage or shortage due to third party carrier.

Return Policy:

Returned material will not be accepted without written permission and a Return Goods Authorization (RGA) number assigned by customer service. All claims must be sent to customer service at csr@dundeemfg.com. Returned material will not be accepted beyond 6 months. Products that are returned without an RGA number, damaged or in any other condition that it was shipped will be refused. Returned material MUST be shipped in the original, undamaged packaging. The RGA is valid for 30 days after issue date. Any material authorized for return will be subject to a 15% restocking fee. The customer will be responsible for all freight charges that may occur during the process of returning material. Dundee Manufacturing reserves the right to alter the Return Policy at any time.

Liability of Use:

Dundee Manufacturing Company LLC is not liable for any damages or injury that may occur due to improper installation or use of the product. This includes, but is not limited to, the attempt to utilize the material under conditions that exceed the designed capabilities or intended use.

WARRANTY:

Dundee Manufacturing Company LLC warrants product(s) to be without defect, in material or workmanship, for one year from date of shipment, provided all applicable Federal, State and Local laws, rules, regulations, building standards and codes are applied during installation. Dundee Manufacturing will replace any product(s) that appears to be defective in material and/or workmanship and is covered by the warranty.

Warrant will be effective:

(1) product was installed in accordance of supplied instruction or residential/commercial use practices that are approved by existing Federal, State and Local building laws, rules, regulations, building standards and codes. (2) product has not been misused or damaged through improper care and does not show signs of rust, corrosion, degradation or any other internal/external damage. (3) product has not been modified, altered or repaired by any 3rd Party company aside from Dundee Manufacturing Company. (4) product was approved during inspection after installation. (5) product was not altered or damaged by uncontrollable, outside influence or natural causes. Dundee Manufacturing is not responsible for any installation, removal of product or additional cost incurred for any maintenance, inspection or re-installment of product due to natural wear and tear and is not covered under warranty. Dundee Manufacturing reserves the right to modify or improve any product. THIS WARRANTY EXCLUDES ALL OTHER WARRANTIES EXPRESSED OR IMPLIED. DMC MAKES NO OTHER WARRANTY CLAIMS EXPRESSED OR IMPLIED OTHER THAN THE ABOVE EXPRESSED WARRANTY.

